


48BMOP24IP65PN

**IP65 12FO SCS, 24FO LCD fiber optic
wall box with mounting kit and
accessories**



DESCRIPTION

Up to 24 fiber IP65 fiber optic box for the connection and distribution of fiber optic links.



ADVANTAGES

- IP65 protection
- Key locking system
- Tray with integrated splicing cassette



CONSTRUCTION & TECHNICAL PERFORMANCE

Product Type	48BMOpxxIP65PN
Color	Black RAL 9005
Compatible optical connector	LC Duplex, SC Simplex
Number of Optical Fibers	24
Number of Accepted Fibers	Jusqu'à 24 FO
Optical Connector Type	SC Simplex LC Duplex
Dimensions (W x D x h)	210 x 168 x 65 mm
Containing Material	ABS
Gross Scanned Weight of the US (g/km)	0.83

TRANSMISSION CHARACTERISTICS

Data Transmission Standard	ISO/TIA EN IEC ROHS
----------------------------	---------------------

MECHANICAL CHARACTERISTICS

Optical mounting type	Mural
Installation type	Exterior

ENVIRONMENTAL CHARACTERISTIC

IP rating	IP65
RoHS Compliance	Conforme RoHS
Standards	- ROHS, REACH, SvHC
UV Resistance	No

ADDITIONAL INFORMATION

Product Packaging	Carton
Weight (Kg)	0.83

Additional Information

