

TM2766

**19" floor-standing cabinet - 600 x 600 -
27U - Technic 1000 range**



DESCRIPTION

The 19" racks of the Technic 1000 range, fitted with a glazed front door (single or double), are the starting point for cabling infrastructure. The 1000 kg load capacity (tested to 1250 kg) is ensured by a combination of innovative features: reinforcement crossmembers and a weld-free aluminium triad frame.



ADVANTAGES

- Aluminum trihedral structure and specially designed reinforcing bar
- Tested load capacity of 1250 kg
- 270° door opening for improved access to the floor-standing cabinet
- 12 vertical U available on the uprights



Updated: 19/12/2025

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

CONSTRUCTION & TECHNICAL PERFORMANCE

Product Type	TMxx6y
Color	Anthracite Grey RAL 7016
Overall Dimensions (HxWxD)	1300 x 600 x 600
Usable Dimensions (HxWxD)	1200 x 451 x 506
U Height	27U
Rear Door Type	single full metal door
Front Door Type	single glass door
Load Capacity	1000 kg
Material Type	Steel
Gross Scanned Weight of the US (g/km)	65
Product thickness	2 mm

MECHANICAL CHARACTERISTICS

Front Door Closing System	3-point locking handle with key (number 5333)
---------------------------	---

ENVIRONMENTAL CHARACTERISTIC

IP rating	IP20
-----------	------

ADDITIONAL INFORMATION

REF	TM2766
SKU Collection Photo	TMxx6y_HD
Pictogram	charge_1000_kg
Model Collection Photo	TMxx6y_HD
Product Diagram	Schema_baies_TMxx6y_dimhorstout
Product Range	Technic 1000
Product Packaging	Unit
Additional Photo Dimension 1	Sch_ma_baies_TMxx6y_dimhorstout
Additional Photo Dimension 2	Sch_ma_baies_TMxx6y_dimutile

Additional Information

