

TM4288SP0

**19" floor-standing extension cabinet -  
800 x 800 - 42U - Technic 1000 range**



## DESCRIPTION

The 19" expansion bay of the Technic 1000 Range, equipped with two glazed front doors and two solid rear doors, allows installation of your active and passive 19" equipment. The 1000 kg load capacity (tested to 1250 kg) is ensured by a combination of innovative features: reinforcement crossmembers and a weld-free three-beam aluminum frame.



## ADVANTAGES

- Excellent stability thanks to an aluminum trihedral framework
- Tested load capacity of 1250 kg
- Side cable management guide
- Extension cabinet for ease of cabling from cabinet to cabinet



Updated: 19/12/2025

This document is confidential and is the property of ADALTRA. ADALTRA holds the copyright, and the document must not be copied or modified in any form, in whole or in part, without the prior written permission of ADALTRA. The specifications contained in this document are non-contractual and may be subject to change without prior notice.

**CONSTRUCTION & TECHNICAL PERFORMANCE**

Product Type	TMxx8ySP0
Color	Anthracite Grey RAL 7016
Overall Dimensions (HxWxD)	1967 x 800 x 800
Usable Dimensions (HxWxD)	1867 x 451 x 706
U Height	42U
Rear Door Type	Full metal double door
Front Door Type	double glazed door
Load Capacity	1000 kg
Material Type	Steel
Gross Scanned Weight of the US (g/km)	130
Product thickness	2 mm

**MECHANICAL CHARACTERISTICS**

Front Door Closing System	Poignée 3 points de fermeture (clé 5333)
---------------------------	--

**ENVIRONMENTAL CHARACTERISTIC**

IP rating	IP20
-----------	------

**ADDITIONAL INFORMATION**

REF	TM4288SP0
SKU Collection Photo	tmxsp0_hd
Pictogram	charge_1000_kg
Model Collection Photo	tmxsp0_hd
Product Diagram	Schema_Baies_TMxx8ySP0_horstout
Product Range	Technic 1000
Product Packaging	Unit
Additional Photo Dimension 1	Sch_ma_baies_TMxx8ySP0_dimutiles
Additional Photo Dimension 2	Sch_ma_Baies_TMxx8ySP0_horstout

## Additional Information

